



PERFORMANCE REPORT **2800 HYBRID** / **PATHFINDER** ANGLER DRIVEN

Boat: **2800 HYBRID** | Engine: **Mercury 350 V10 Verado** | Configuration: **Twin** | Test Date: **3/31/2026**

2800 HYBRID

Length _____ 28' 5"
 Beam _____ 9' 5"
 Maximum HP _____ 700 hp
 Fuel Capacity _____ 182 gal
 Weight as Tested _____ 8,308 lbs

350 V10 Verado / 350 V10 Verado

Horsepower _____ 350 hp
 Induction _____ EFI/DOHC/NA
 Displacement _____ 5.7L
 Weight (Estimated) _____ 695 lbs
 Gear Ratio _____ 1.75:1

ENGINE MOUNTING HEIGHT

Mounting Hole Position _____ #2

PROPELLER(S)

Series _____ Evertia ECO
 Diameter x Pitch _____ 16 x 23
 Mercury Part # _____ 8M0151263
 Propeller Material _____ Stainless Steel


TEST CONDITIONS

Number of People _____ 1
 Air / Water Temperature _____ 81° F / 75° F
 Elevation (in feet above sea level) _____ 0'
 Wind Velocity _____ 9 MPH

COMMENTS

Test weight includes 92 gallons of fuel, 6 batteries, Dual Power Poles, Dual Jackplates, Safety and Test equipment.

RPM	MPH	GPH	MPG
700	5.1	2.2	2.3
1000	6.2	3.9	1.6
1500	7.6	6.4	1.2
2000	10.0	13.4	0.7
2500	17.8	15.4	1.2
3000	28.9	16.4	1.8
3500	37.7	20.9	1.8
4000	42.9	25.4	1.7
4500	47.9	30.8	1.6
5000	54.8	41.0	1.3
5500	61.7	52.0	1.2
6000	68.7	61.1	1.1
6400	69.9	62.8	1.1



NOTICE TO CONSUMER

The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors, including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase.